EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	(network adj performance) with HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
L2	9	L1 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
L3	1	L1 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
L4	10727	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
L5	2653	L4 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
L6	2348	L4 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
L7	15	L5 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
L8	2	L6 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52

L9	2653	L4 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
L10	2348	L4 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
L11	15	L9 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
L12	2	L10 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
L13	275	display with (hidden near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
L14	68	L13 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
L15	76	L13 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
L16	2	L14 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
L17	2	L15 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53

L18	3286	(display$1 or displaying) near3 hidden	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
L19	695	L18 and @rlad< "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
L20	900	L18 and @prad< "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
L21	10	L19 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
L22	1	L20 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
L23	11	(web adj page$1) with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
L24	2	L23 and @rlad< "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
L25	1	L23 and @prad< "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
L26	1262	(arrival adj time) and (departure adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55

L27	317	L26 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55
L28	3	L27 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55
L29	31782	application adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55
L30	7126	L29 and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55
L31	4646	L29 and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
L32	145	L30 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
L33	25	L31 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
L34	73	(generation near5 time$1) and (hidden near field$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
L35	10	L34 and @rlad<"20010601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56

L36	11	L34 and @prad<"20010601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
L37	443	(edit$3 same (delet$3 or remov$3) same (swap$4 or exchang$3 or interchang$3)) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:57
L38	299	(edit$3 same (delet$3 or remov$3) same (swap$4 or exchang$3 or interchang$3)) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:57
L39	23	((edit$3 same (delet$3 or remov$3) same (swap$4 or exchang$3 or interchang$3))) same record$1 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:57
L40	13	((edit$3 same (delet$3 or remov$3) same (swap$4 or exchang$3 or interchang$3))) same record$1 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:57
L41	41	(((edit$3 with (name$1 or filename$1)) same (delet$3 or remov$3) same (swap$4 or chang$3 or interchang $3))) same record$1 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:58
L42	17	(((edit$3 with (name$1 or filename$1)) same (delet$3 or remov$3) same (swap$4 or chang$3 or interchang $3))) same record$1 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:58
L43	199	(view$3 with delet$2 with record$1) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:58
L44	69	(view$3 with delet$2 with record$1) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:58

L45	34	((view$3 with delet$2 with record$1) and (edit$3 with fields)) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
L46	6	((view$3 with delet$2 with record$1) and (edit$3 with fields)) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
L47	10727	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
L48	2653	L47 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
L49	2348	L47 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
L50	15	L48 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
L51	2	L49 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:00
S1	1595414	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 12:42
S2	4	"113870".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 15:52

S3	4	"113870".ap. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:33
S4	4	"414837".ap. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:53
S5	2	"6397253".pn. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:08
S6	2	"6170019".pn. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:15
S7	9	(network adj performance) with HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:19
S8	9	S7 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:14
S9	9	S8 and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:15

S10	2	"6625647".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 10:22
S11	4	"612769".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:20
S12	7262	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:19
S13	5895	S12 and @ad< "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:20
S14	2459	S13 and (forward$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:20
S15	145	S14 and ((arrive or arrival) near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:21
S16	13	S15 and ((departure or depart or departing) near3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:21
S17	2	"5793976".pn. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:56

S18	197	display with (hidden near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:03
S19	172	S18 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:03
S20	11	S19 and cookie$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:58
S21	46	S19 and display with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:03
S22	46	S19 and (display with (hidden adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:08
S23	2293	(display$1 or displaying) near3 hidden	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:09
S24	1834	S23 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:14
S25	1834	S24 and ((display$1 or displaying) near3 hidden)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:09
S26	69	S24 and ((display$1 or displaying) near3 (hidden near3 data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:09

S27	1	S24 and ((display$1 or displaying) near3 (hidden near3 (web near3 page)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:11
S28	6	(web adj page$1) with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:11
S29	6	S28 and @ad< "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:14
S30	0	S29 and ((display or displaying) near3 hidden)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:13
S31	46	S24 and (hidden with web)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:14
S32	2	"5793976".pn. and local	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:32
S33	2036	(synchroni$6 near3 time) with (node$1 or Server$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:29
S34	1552	S33 and @ad< "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:29
S35	1264	S34 and (synchroni$6 near2 time) with (node$1 or Server $1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:30

S36	31	S34 and (synchroni$6 near2 (local adj time)) with (node $1 or Server$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:30
S37	903	(arrival adj time) and (departure adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:33
S38	703	S37 and @ad< "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:32
S39	1	S38 and (sort$5 with ((arrival adj time) and (departure adj time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:44
S40	4	S38 and (sort$5 with (arrival adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:45
S41	17794	application adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:33
S42	11659	S41 and @ad< "20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:33
S43	4880	S42 and performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:33
S44	1373	S43 and (measure or measurement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:34

S45	106	S44 and (execution adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:35
S46	0	S45 and (arrival adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:34
S47	0	(generation near time$1) near5 (hidden near field$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S48	0	(generation near5 time$1) near5 (hidden near field$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S49	54	(generation near5 time$1) and(hidden near field$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S50	54	(generation near5 time$1) and (hidden near field$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S51	44	S50 and @ad< "20010601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S52	0	"10612769".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 15:54
S53	2	"6625647".pn. and (arrival or departure or generation or display$3 or time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 17:24

S54	1	"5793976".pn. and (arrival or departure or generation or display$3 or time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 16:14
S55	2	"6625647".pn. and loading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 17:24
S56	7792	(display$3 near3 time) near5 (stor$3 or sav$3) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:08
S57	7792	((display$3 near3 time) near5 (stor$3 or sav$3)) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:14
S58	25	(((display$3 near3 time) near5 (stor$3 or sav$3))) with browser$1 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:08
S59	3	"20020161794"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:41
S60	0	"5793976".pn. and server$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:41
S61	2	"6625647".pn. and server$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:44
S62	2	"20020174421" and ((application near3 server$1) or (database near3 Server $1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:45

S63	3851	((application near3 server$1) with (database near3 Server $1)) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:45
S64	3138	((application near3 server$1) near5 (database near3 Server $1)) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:47
S65	51	(((application near3 server $1) near5 (database near3 Server$1)) with performance) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:47
S66	1	"6625647".pn. and database $1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 10:22
S67	5	(boolean with image$1 with (audio or sound)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 14:58
S68	0	"20050022104" and delet$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:16
S69	0	"20050022104" and delete	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:17
S70	2	"20050022104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:16
S71	0	"20050022104" and eras$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:17

S72	0	"20050022104" and remov$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S73	2	"20030065635"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S74	0	"20030065635" and delet$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S75	0	"20030065635" and remov$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S76	0	"20030065635" and reas$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S77	1	"20030065635" and record$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:20
S78	683	(edit$3 same (delet$3 or remov$3) same (swap$4 or exchang$3 or interchang$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:22
S79	40	((edit$3 same (delet$3 or remov$3) same (swap$4 or exchang$3 or interchang $3))) same record$1 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:24
S80	1	(((edit$3 with (name$1 or filename$1)) same (delet$3 or remov$3) same (swap$4 or exchang$3 or interchang $3))) same record$1 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:25

S81	54	(((edit$3 with (name$1 or filename$1)) same (delet$3 or remov$3) same (swap$4 or chang$3 or interchang $3))) same record$1 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:31
S82	246	(view$3 with delet$2 with record$1) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:31
S83	32	((view$3 with delet$2 with record$1) and (edit$3 with fields)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:32
S84	39	((view$3 with delet$2 with record$1) and (edit$3 with field$1)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:32
S85	2	((view$3 with delet$2 with record$1) and (edit$3 with field$1) and ((chang$3 or interchang$3 or swap$4) with (filename$1 or file?name $1))) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:33
S86	26522	(internal near3 clock) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:52
S87	23808	(internal near2 clock) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:52
S88	19498	(internal adj clock) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:52
S89	58	((internal adj clock) with (local near3 time)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:31

S90	2	"20030177776"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:32
S91	9070	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:53
S92	6457	S91 and @ad< "20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:53
S93	2779	S92 and (forward$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:53
S94	162	S93 and ((arrive or arrival) near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:54
S95	8	S94 and HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:54
S96	1	"5793976".pn. and (stor$3 or cach$3 or keep$3 or databases or (data near2 structure$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 12:52
S97	1	"6625647".pn. and (stor$3 or cach$3 or keep$3 or databases or (data near2 structure$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 12:52

3/3/2008 11:00:12 AM
C:\ Documents and Settings\ dmyint\ My Documents\ EAST\ Workspaces\ 10-612-769__1.wsp